



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

"workflow class" "work list class" "work item cl

[Advanced Search](#)
[Preferences](#)

Web

Tip: Try removing quotes from your search to get more results.

Your search - **"workflow class" "work list class" "work item class" "container class"** - did not match any documents.

Suggestions:

- Make sure all words are spelled correctly.
- Try different keywords.
- Try more general keywords.
- Try fewer keywords.

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

[Advanced Search](#)
[Preferences](#)

Web

 Results 1 - 10 of about 570 for workflow "container class" . (0.25 seconds)

[PDF] Cross-Organisational Workflow CrossFlow ESPRIT E/28635

 File Format: PDF/Adobe Acrobat - [View as HTML](#)

It is recommended that the CrossFlow components use the **workflow** module to ...
 and output data of processes or activities are based on the **Container class** ...

www.crossflow.org/public/pubdel/D6b.pdf - [Similar pages](#)

[Zope3-checkins] CVS: Zope3/src/zope/app/interfaces/**workflow** ...

... `class IWorkflowActivityInstance(Interface):` `"""Workflow activity instance. ..."""`

`class IWorkflowWorkitem(Interface):` `"""Workflow instance. ..."""`

mail.zope.org/pipermail/zope3-checkins/2003-February/005898.html - 23k - Supplemental Result -

[Cached](#) - [Similar pages](#)

[Zope3-checkins] CVS: Zope3/src/zope/app/interfaces/**workflow** ...

... `class IWorkflowProcessInstanceContainer(Interface):` `"""Workflow process instance container. ..."""`

`daptable(Interface):` `"""Marker interface for components that can be ..."""`

mail.zope.org/pipermail/zope3-checkins/2003-July/012273.html - 14k - Supplemental Result -

[Cached](#) - [Similar pages](#)

[[More results from mail.zope.org](#)]

[OFBiz] SVN: r4595 - trunk/base/config

... + `<container name="javamail-container" class="org.ofbiz.service.mail. ...`

load Shark **Workflow Engine** -> + `<container name="shark-container" ...`

lists.ofbiz.org/pipermail/svn/2005-March/001518.html - 14k - [Cached](#) - [Similar pages](#)

Step and Subsystem Development

Customizers are dialog boxes that allow the **workflow** developer to specify the
 properties of a ... They extend the `java.awt.container class` and implement the ...

www.cisco.com/univercd/cc/td/doc/product/voice/sw_ap_to/apps_22/dev_gd/sdkstepd.htm - 29k -

[Cached](#) - [Similar pages](#)

Cisco Customer Response Solution Software Development Kit Guide ...

Implements the **workflow** step interface (WFStep) and encapsulates the business
 logic of the ... They extend the `java.awt.container class` and implement the ...

www.cisco.com/.../sw/custcosw/ps1846/products_

[programming_reference_guide_chapter09186a00800f06b3.html](#) - 33k - [Cached](#) - [Similar pages](#)

WorkflowDescription (taverna Java Classes)

A **container class** for the metadata about a **workflow** definition, including LSID

if available, description and author information. Author:: Tom Oinn ...

taverna.sourceforge.net/api/org/embel/ebi/escience/scufl/WorkflowDescription.html - 19k - [Cached](#) - [Similar pages](#)

XIO3Bundle (The GriPhyN Virtual Data System)

A **container class** for storing the name of the transfer job, the list of file
 transfers that the job ... Signals that the traversal of the **workflow** is done. ...

www.griphyn.org/workspace/VDS/javadoc/org/griphyn/cPlanner/transfer/XIO3Bundle.html - 34k -

[Cached](#) - [Similar pages](#)

Secrets of lightweight development success, Part 2: How to lighten ...

In this case, it replaces your **Container class**, and you can use a simple XML file
 that ... **workflow** engines, view technologies, and dozens of other things. ...

www.ibm.com/developerworks/java/library/os-lightweight2/ - 36k - [Cached](#) - [Similar pages](#)

[PDF] Instance modeling – beyond object-oriented modeling

File Format: PDF/Adobe Acrobat - [View as HTML](#)

processes to support systems such as ERPs and workflow systems[11]. ...

classes that are part of a given **container class** form a palette ...

softeng.polito.it/torchiano/papers/CIT2000.pdf - Similar pages

New! Get email updates of new web results for workflow "container class" with Google Web Alerts.



Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

Free! Google Desktop Search: Search your own computer. Download now.

Find: emails - files - chats - web history - media - PDF

workflow "container class"

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

[Advanced Search](#)
[Preferences](#)

Web

Results 11 - 20 of about 570 for workflow "container class" . (0.05 seconds)

[PDF] [An Operational Approach to the Design of Workflow Systems](#)

 File Format: PDF/Adobe Acrobat - [View as HTML](#)

workflow systems and presents a description of the travel. Page 2. Agarwal, Bruno, Torchiano ... **container class**, form a sort of palette the component ...

softeng.polito.it/torchiano/papers/ist_2000.pdf - [Similar pages](#)

[TheServerSide.com](#) - <a href="/articles/article.tss?l=eXo" class=...

Moreover, **workflow** functionalities allow you to add Business Process Management (BPM) and Enterprise Application ... The eXo Portlet **Container class** diagram ...

www.theserverside.com/articles/article.tss?l=eXo - 80k - [Cached](#) - [Similar pages](#)

[TheServerSide.com](#) - <a href="/articles/article.tss?l=Keel" class=...

... and it is a sub-class of Avalon Fortress' **Container class**. ... Navigation -

a general purpose **workflow** process; Security Maintenance Application - a ...

www.theserverside.com/articles/article.tss?l=Keel - 45k - [Cached](#) - [Similar pages](#)

[[More results from www.theserverside.com](#)]

[ZODB Mount Point container-class ATFolder / Gabriel Andreas ...](#) - [[Translate this page](#)]

Wenn ich die Standard-Plone-Folder Klasse verwende **container-class** Products.CMFPlone.

... Ansonsten sind einige Werte wie **Workflow** o.ä. nicht initialisiert. ...

www.dzug.org/maillinglisten/zope/archive/2005/2005-05/1115225556901 - 24k - Jun 29, 2005 -

[Cached](#) - [Similar pages](#)

[PDF] [McRunjob: A High Energy Physics Workflow Planner for Grid ...](#)

 File Format: PDF/Adobe Acrobat - [View as HTML](#)

McRunjob is a powerful grid **workflow** manager used to manage the generation of large numbers of ... The Linker is a **Container class** for Configurators. ...

www.gridpp.ac.uk/papers/chep03_TUCT007.PDF - [Similar pages](#)

[OFBiz] [SVN: r4657 - in trunk: base/config base/src/start/org ...](#)

... + <container name="component-container" class="org.ofbiz.base.container. ...

load Shark **Workflow Engine** -> + <container name="shark-container" ...

lists.ofbiz.org/pipermail/svn/2005-March/001578.html - 22k - [Cached](#) - [Similar pages](#)

[[More results from lists.ofbiz.org](#)]

Products

Guard : Guard conditions in a web-configurable **workflow**. ... Transience : Transient Object **Container Class** ('timeslice'-based design, no index). ...

ingo.fargonauten.de/epydoc/public/Products-module.html - 94k - [Cached](#) - [Similar pages](#)

[IBM - IY70285: Business Process Application classes not found ...](#)

BPE **container class** loader problem results in business process application classes not ... **WORKFLOW**. Reported component ID, 5724J3254. Reported release, 510 ...

www.ibm.com/support/docview.wss?rs=180&uid=swg1IY70285 - 35k - [Cached](#) - [Similar pages](#)

View Cache

The implementation of the ViewCache may be based on some Map **container class**.

... as other data that are needed for a process step in a **workflow** system. ...

www.objectarchitects.de/ObjectArchitects/orpatterns/TupleLayer/ViewCache/ - 18k - [Cached](#) - [Similar pages](#)

[org.embl.ebi.escience.scufl \(taverna Java Classes\)](#)

WorkflowDescription, A **container class** for the metadata about a **workflow** definition,

including LSID if available, description and author information ...

taverna.sourceforge.net/api/org/ embi/ebi/escience/scufl/package-summary.html - 19k - [Cached](#) - [Similar pages](#)

New! Get email updates of new web results for workflow "container class" with Google Web Alerts.



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

[Advanced Search](#)
[Preferences](#)
WebResults **21 - 30** of about **570** for workflow "container class" . (0.14 seconds)

Web Hosting Control - BLOrderBook

... account. __init__(self, id) manage_afterAdd(self, item, **container**) class BLCashBook (
 BastionLedger ... in advance THIS is a placeholder to assign a new **workflow**. ...
[www.last-bastion.net/portal_zpydoc/ BastionLedger.BLOrderBook.html](http://www.last-bastion.net/portal_zpydoc/BastionLedger.BLOrderBook.html) - 101k - Supplemental Result -
[Cached](#) - [Similar pages](#)

More First Aid for the Thread Impaired: Cool Ways to Take ...

Multithreaded **Workflow** Application. Recently, I had an opportunity to use ...
 would instead directly update a thread-safe display window or **container class**. ...
www.microsoft.com/msj/0797/multithreading.aspx - 57k - [Cached](#) - [Similar pages](#)

Module and Class Hierarchies

... WorkflowUIMixin : Web-configurable **workflow** UI. Worklists : Worklists in a
 web-configurable **workflow**. ... **Container Class** ('timeslice'-based design, no index). ...
[ingo.fargonauten.de/scratch/ epydoc/api/public/trees.html](http://ingo.fargonauten.de/scratch/epydoc/api/public/trees.html) - 101k - Supplemental Result - [Cached](#) - [Similar pages](#)
[\[More results from ingo.fargonauten.de \]](#)

COLLCOLL » Blog Archive » fWordPress Category Example

Workflow Narratives. Requesting a remote service for all categories and then ...
 The **container class** adds them to the open category array and assigns them ...
[www.colldoll.com/dev/wordpress/ index.php/2005/05/20/fwordpress-category-example/](http://www.colldoll.com/dev/wordpress/index.php/2005/05/20/fwordpress-category-example/) - 19k -
[Cached](#) - [Similar pages](#)

Basics Relationships between classes and objects — plone.org

The **container class** that gets the empty rhomb attached is derived from ...
 Next: Basics: **Workflow** Generation Previous: Basics: Methods and Actions ...
[plone.org/documentation/tutorial/ archgenxml-getting-started/relationships](http://plone.org/documentation/tutorial/archgenxml-getting-started/relationships) - 46k - Jun 28, 2005 -
[Cached](#) - [Similar pages](#)

[PDF] 1 Generic Model-to-Model Transformations in MDA: Why and How?

File Format: PDF/Adobe Acrobat - [View as HTML](#)
 ... the purpose of the transformation is to add a **container class** for a set of
 ... Tool infrastructure should support the definition of a **workflow** model to ...
www.softmetaware.com/oopsla2002/kovsej.pdf - [Similar pages](#)

[PDF] Developing Instance Model-Based Applications

File Format: PDF/Adobe Acrobat
 processes to support systems such as ERPs and **workflow**. systems[13]. ...
 The classes that are part of a given **container class** ...
doi.ieeecomputersociety.org/10.1109/ECBS.2001.922425 - [Similar pages](#)

Enterprise JavaBeans by Gopalan Suresh Raj

... to a couple of entity beans and manages the **workflow** between these entities.
 ... These properties are used both in the **container class** generation and in ...
members.tripod.com/gsraj/ejb/chapter/ejb_6.html - 157k - [Cached](#) - [Similar pages](#)

ProgrammingMethods


... **Workflow** Processor - provides process abstraction for processes that cross component ...
 An important note—the **Container class** is unique among the components ...
realdevs.net/default.aspx?tabid=113&type=art&site=38&parentid=13 - 93k - Supplemental Result -
[Cached](#) - [Similar pages](#)

Scratch Where It's Itching : Weblog

The tree is displaying a **workflow**, so the order is really important. ... the class structure: an inner class is displayed as a leaf of its **container class**. ...

www.jroller.com/page/ethdsy/20040603 - 70k - [Cached](#) - [Similar pages](#)

New! Get email updates of new web results for workflow "container class" with Google Web Alerts.



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

[Advanced Search](#)
[Preferences](#)

Web

Results 31 - 40 of about 570 for workflow "container class" . (0.11 seconds)

[PDF] [OpenMolGRID](#)

 File Format: PDF/Adobe Acrobat - [View as HTML](#)

SERVER SIDE WORKFLOW SUPPORT: ABSTRACT RESOURCE INTERFACE ... The **container class** used for the MetaPlugin subclasses the JobContainer class, ...

www.openmolgrid.org/downloads/D4.2a.pdf - [Similar pages](#)

[Web Hosting Control - BLTransaction](#)

... define the **workflow** for a transaction. `__init__(self, id) manage_afterAdd(self, item, container) class BLTransactions (BastionLedger.BLBase.BObjectManagerTree ...`

[www.last-bastion.net/portal_zpydoc/ BastionLedger.BLTransaction.html](http://www.last-bastion.net/portal_zpydoc/BastionLedger.BLTransaction.html) - 71k - Supplemental Result -

[Cached](#) - [Similar pages](#)
[\[More results from www.last-bastion.net \]](#)

[Muelle, Jutta A.; Nimis, Jens; Lockemann, Peter C.; Hermann ...](#)

This **Container class** is inherited by all ApplicationObjects, independent of ...

which supports a cooperation model and the **workflow** of the design process. ...

www.ubka.uni-karlsruhe.de/indexer-vvv/2000/architektur/4 - 16k - [Cached](#) - [Similar pages](#)

[WebDeveloper Forums - Trying to center existing image popup script ...](#)

... configuration, and service level agreement management into a single **workflow**. ... endif]-->

```
<body> <div class="border"> <div id="container" class="center"> <div ...
```

webdevelopers.com/forum/showthread.php?s=efcfd93adb8ec5b0ef1393b2178222c&threadid=57164 - 66k -

 Supplemental Result - [Cached](#) - [Similar pages](#)

[Index \(HPSearch - Reference Classes\)](#)

... container - Variable in class `cgl.workflow.wsproxy.ProxyWebService Container -`

`class cgl.workflow.common.xml.Container. Class Container. ...`

www.hpsearch.org/api/index-all.html - 101k - Supplemental Result - [Cached](#) - [Similar pages](#)

[Vincent Brabant's Blog: What I would like to see in NetBeans 4.2 !!!](#)

One idea is to use a separate method block for each **Container class** like a JPanel.

... Struts: Support to edit actions, to have a **workflow** of your Struts ...

weblogs.java.net/blog/vbrabant/archive/2005/04/what_i_would_like_1.html - 23k - [Cached](#) - [Similar pages](#)

[ObjectWeb Forge: Detail: 303615 Problem with automatic generation ...](#)

... Cooperative Open **Workflow**, DotNetJ, Dream, Eclipse DBModeller ... Sender:

camillej Logged In: YES user_id=234 If the **container class** is not found the ...

forge.objectweb.org/tracker/index.php?func=detail&aid=303615&group_id=5&atid=100005 - 36k -

[Cached](#) - [Similar pages](#)

[Comment \(Workflow API Documentation\)](#)

Holds a **workflow** comment. The Comment is a **container class** that holds the **workflow** comment with attributes like which **workflow** the comment belongs to and ...

www.chalexcorp.com/coalition/jsp/workflow/javaDocs/org/oac/workflow/client/Comment.html - 11k -

[Cached](#) - [Similar pages](#)

[Life Sciences Case Studies from Entegreat - a manufacturing ...](#)

Additionally, the new LIMS added the "**container**" **class** to the normal LIMS ...

This addition meant that the normal internal processes and **workflow** of the old ...

www.entegreat.com/eg_industrysolutions_casestudies_lifesciences_lims.htm - 17k - [Cached](#) - [Similar pages](#)

[PDF] [www.dma.unina.it/~murli/GridSummerSchool2004/prese...](#)

File Format: Microsoft Powerpoint 97 - [View as HTML](#)

Workflow for Car-Parrinello molecular dynamics code ... **Container Class**.

Encapsulate AJO. Inherit from UserContainer to execute application resources ...

[Similar pages](#)

New! Get email updates of [new web results for workflow "container class"](#) with Google Web Alerts.




Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google

**Web**Results **41 - 50** of about **570** for workflow "container class" . (0.17 seconds)ACIS InternalsNow, let me again outline the **workflow** of data processing. ...lib/ARDB/RelationType.pm: **Container class** for relation type objects, which are specified in ...acis.openlib.org/software/doc/internal.html - 36k - [Cached](#) - [Similar pages](#)All Packages from org.embl.ebi.* to org.embl.ebi.*SemanticMarkup: A **container class** for the semantic markup and mime type data for overall **workflow** input and output ports, although presumably it could be ...www.docjar.com/docs/api/org/embl/overview-summary.html - 20k - Jun 28, 2005 - [Cached](#) - [Similar pages](#)Legal XHTML... the text of legal instruments and of optionally associated **workflow** documents.... Secondly, the **Container class** holds instances of the Content class, ...www.hypergrove.com/legalxhtml.com/LegalXHTML.html - 133k - [Cached](#) - [Similar pages](#)[PDF] SEPP/OT as a Management Concept for the Modeling of WorkflowsFile Format: PDF/Adobe Acrobat - [View as HTML](#)the concept are relevant for **workflow** modeling and how it has to be ... SET –comparable to a **container class**, which can only contain one copy of each ...www.theinf.tu-ilmenau.de/ra1/ver/norw_pap.pdf - [Similar pages](#)ObjectivityTheir HCX object actually derives from Objectivity **container class** and the STUs... significantly increases performance and seamless **workflow** productivity. ...www.objectivity.com/WhitePapers/WailPprExamples.shtml - 109k - [Cached](#) - [Similar pages](#)Module and Class HierarchiesNewsLetterWorkflow : NewsLetter type **workflow** definition. CPSOOo : Init ...SubscriptionContainer : Subscription **Container Class**; CPSWiki.wiki. ...www.cps-project.org/static/doc/api/api-CPS-3.3.4/public/trees.html - 513k - [Cached](#) - [Similar pages](#)Module and Class HierarchiesCPSWorkflow : **Workflow** extending DCWorkflow with enhanced transitions. ...SubscriptionContainer : Subscription **Container Class**. CPSDefault.Dummy. ...www.cps-project.org/static/doc/api/api-CPS-3.2.4/public/trees.html - 513k - [Cached](#) - [Similar pages](#)[PDF] Microsoft PowerPoint - UNICOREPluginProgrammingFile Format: PDF/Adobe Acrobat - [View as HTML](#)**Workflow** for Car-Parrinello molecular dynamics code ... **Container Class**.

Encapsulate AJO. Inherit from UserContainer to execute application. resources ...

www.dma.unina.it/~murli/GridSummerSchool2004/presentations/Unicore/UNICOREPluginProgramming.pdf -

[Similar pages](#)COLLCOLL**Workflow** Narratives. Requesting a remote service for all categories and then ...The **container class** assigns them movieClips and stores a reference to the ...www.collicoll.com/dev/wordpress/index.php/page/4/ - 52k - [Cached](#) - [Similar pages](#)Gamera: A Structured Document Recognition Toolkit for PythonOpen-source and standards-based for easy integration with **workflow** management systems. ... library includes a resizable array **container class** called vector. ...

dkc.jhu.edu/gamera/papers/gamera_python_2002/gamera.html - 46k - [Cached](#) - [Similar pages](#)

New! Get email updates of new web results for workflow "container class" with Google Web Alerts.




Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [14](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google

**Web**Results **51 - 60** of about **570** for workflow "container class" . (0.09 seconds)**Macromedia - Developer Center : Designing with CSS - Part 5 ...**

Locate the **.container class** selector. Delete the background-color property and its value. ... Using code hints speeds your **workflow** dramatically: ...

www.macromedia.com/devnet/mx/dreamweaver/articles/css_concepts_pt5_print.html - 38k - Jun 29, 2005 -

[Cached](#) - [Similar pages](#)

Studierstube Augmented Reality Project

The basic idea is to have a dedicated, passive **container class**, ... **Workflow** of a query. Having introduced all of the components of the client and the ...

www.studierstube.org/world/Studierstube_XMLDB_Design.htm - 37k - [Cached](#) - [Similar pages](#)

cgl.workflow.common.xml (HPSearch - Reference Classes)

Package cgl.workflow.common.xml. Class Summary. **Container**, **Class Container**.

ContainerDescriptor, Class ContainerDescriptor. DBSpec, Class DBSpec. ...

www.hpsearch.org/api/cgl/workflow/common/xml/package-summary.html - 11k - Supplemental Result -

[Cached](#) - [Similar pages](#)

Tech Resume: web applications developer

... loading of environment variables, e-mailer, and **container class**. ... **Workflow**

Publishing and Graphic Design Forum - Best Practices in Web Publishing ...

devbistro.com/developers/id/wen_perfecto - [Similar pages](#)

Tech Resume: Web Applications Developer

... loading of environment variables, e-mailer, and **container class**. ...

Workflow Publishing and Graphic Design Forum - Best Practices in Web Publishing ...

devbistro.com/developers/id/rbperfecto - [Similar pages](#)

[PDF] Support for Workflows in a Ministerial Environment

File Format: PDF/Adobe Acrobat

the processing of a ministerial **workflow**. This scenario is ... **container class**

may contain arbitrary document types or. other containers. ...

portal.acm.org/ft_gateway.cfm?id=240254&type=pdf - [Similar pages](#)

Engineering Rich Internet Applications: Macromedia Flex Archives

Container class (which itself extends the mx.core. ... The Macromedia Flex **workflow**

is a promising one, that extends rich-client application development ...

www.richinternetapps.com/archives/cat_macromedia_flex.html - 245k - [Cached](#) - [Similar pages](#)

[PDF] arXiv:cs.DC/0305063 v2 10 Jun 2003

File Format: PDF/Adobe Acrobat - [View as HTML](#)

McRunjob: A High Energy Physics **Workflow** Planner for Grid. Production Processing.

GE Graham ... The Linker is a **Container class** for Configurators. ...

arxiv.org/pdf/cs.DC/0305063 - [Similar pages](#)

[PDF] White Paper latest

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... selection of best-of-breed resources, including but not limited to **workflow**

... DocCipher is the **container class** for the QuickStream Document ciphering. ...

www.quickstream.com/instruction/platform/QDK/whitepaper/QS_WhitePaper_Technical.pdf - [Similar pages](#)

[2184] (changeset) - Nuxeo Repository - Trac

rely on the **container's class** to be a CPS one. XXX temporary, rework the code later.

... 304, Do not insert into any **workflow**. 305. 306, Returns the object. ...
svn.nuxeo.org/trac/pub/changeset/2184 - 23k - [Cached](#) - [Similar pages](#)

New! Get email updates of new web results for **workflow "container class"** with Google Web Alerts.



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [14](#) [15](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

[Advanced Search](#)
[Preferences](#)

Web

 Results **61 - 70** of about **570** for workflow "container class" . (0.16 seconds)

[\[PDF\] Developing With Apache Avalon](#)

 File Format: PDF/Adobe Acrobat - [View as HTML](#)

 systems such as the Messaging Service and the Workflow Management Service. ...
Container class. You are using the configuration builder to build a ...

jakarta.apache-korea.org/avalon/developing/developing-with-avalon.pdf - [Similar pages](#)

[The ebXML Test Framework And the Challenges of B2B Testing](#)

 Control the execution and **workflow** of the steps of a Test Case - A Test Driver will

 ... A TestProfile class serves as a **container class** composed of all ...

xsun.sdct.itl.nist.gov/~mkass/ebxml_conformance_testing/xml europe/xml europe.html - 69k -

[Cached](#) - [Similar pages](#)

[\[PDF\] A Framework for Dealing with Dynamic Buildings](#)

 File Format: PDF/Adobe Acrobat - [View as HTML](#)

 This **Container class** is inherited by all. Application Objects, independent of the
 concrete ... and the **workflow** of the design process. It will be ...

www.ipd.uka.de/~nimis/publications/ecppm00.pdf - [Similar pages](#)

[\[PPT\] IODEF and Extended Incident Handling Framework TF-CSIRT Seminar ...](#)

 File Format: Microsoft Powerpoint 97 - [View as HTML](#)

 CSIRT **workflow**. Work in development by Jan Meijer. ©May 31, 2001. ... It is
 primarily used as a "**container**" class for the UserId aggregate class. ...

www.terena.nl/task-forces/tf-csirt/iodef/docs/iodef-csirt0106.ppt - Jun 27, 2005 - [Similar pages](#)

[\[PDF\] IODEF and Extended Incident Handling Framework](#)

 File Format: PDF/Adobe Acrobat - [View as HTML](#)

 CSIRT **workflow**. Work in development by Jan Meijer ... primarily used as a "**container**"
class for the UserId aggregate class. ...

www.terena.nl/tech/task-forces/tf-csirt/meeting3/demchenko-iodef.pdf - [Similar pages](#)
[\[More results from www.terena.nl \]](#)

[\[PDF\] A Digital Rights Management System for e-Content](#)

 File Format: PDF/Adobe Acrobat - [View as HTML](#)

 e-Course **Workflow**", Proceedings of SSGRR 2002 (Summer) ... [30] Web page "The
 Tomcat 4 Servlet/JSP **Container** - **Class Loader**. HOW-TO", ...

www.cs.hku.hk/research/techreps/document/TR-2004-03.pdf - [Similar pages](#)

[com.iternum.ui.tags \(iternum i3 ui framework\)](#)

 FieldStateData, Data **Container class**. FieldStateTag, Tag that displays some ...

 RequireWorkflowTag, Tag handler to define that a page is part of a **workflow**. ...

www.iternum.com/ui-demo/javadoc/com/iternum/ui/tags/package-summary.html - 10k - [Cached](#) - [Similar pages](#)

[The Zope Application Server](#)

 ... in a website: CMS's also provide tools to help organise **workflow** – so that

 ... Folders are objects that are instances of a **container class**; they hold ...

www.antipope.org/charlie/linux/shopper/161.zope.html - 26k - [Cached](#) - [Similar pages](#)

[\[PDF\] SEPP/OT as a Management Concept for the Modeling of Workflows](#)

 File Format: PDF/Adobe Acrobat - [View as HTML](#)

 comparable to a **container class**, which can contain. more than one copy of each
 element (or ... (Implementation) also for **workflow** modeling. executable code ...

www.theoinf.tu-ilmenau.de/ra1/ver/norw_sld.pdf - [Similar pages](#)

[PDF] [eCSIRT.net Deliverable Common Language Specification & Guideline ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

The IODEF-Document class is the outer **container class** for IODEF mes- ...

Language into the **workflow** handling systems of the participating CSIRTs, ...

www.ecsirt.net/cec/service/documents/wp2-common-language.pdf - [Similar pages](#)

New! Get email updates of [new web results for workflow "container class"](#) with Google Web Alerts.



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [14](#) [15](#) [16](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google